

Ingress filtering compatibility for IPv6 multihomed sites


multi6 wg meeting - IETF 61

C. Huitema, R. Draves
M. Bagnulo


Introduction

- set of mechanisms to provide ingress filtering compatibility
- focus on legacy hosts in IPv6 multihomed sites
- just a component
 - additional mechanisms are needed

Scenario & problem



Goal and non goals



Goal:

- ingress filtering compatibility when X and Y are LEGACY HOSTS

Non-Goals:

- complete multihoming solution
- Fault tolerance
- upgrade hosts


Possible approaches

- Relaxing ingress filtering
 - not always possible, trust issues
- Some form of Source Address Dependent (SAD) Routing
 - single site exit router
 - DMZ
 - virtual DMZ
 - full SAD routing


SAD routing domain

```
Multiple site exits
|         |         |         |
-----+-----+-----+-----+-----
(
( Source based routing domain )
(
-----+-----+-----+-----+-----
(
( Generic routing domain )
(
-----
```

Single router case




DMZ



Virtual DMZ

mesh of tunnels



What's next?

- SAD Routing
 - single site exit router
 - Internal stuff, no work here
 - DMZ
 - perhaps some work specifying the communication between the DMZ
 - virtual DMZ
 - some work to define which tunnels, how to build them
 - full SAD routing
 - analyze how routing protocols work with this