#### RTCP for SSM


Julian Chesterfield, <u>Jörg Ott</u>, Eve Schooler

3 August 2005


#### **Changes since -08**

- Extensive review by Magnus
  - Several nits, some major clarifications
- Major changes
  - Added overview text and figure showing the interaction of media source, distribution source, and receivers
    - Updated terminology as well to use the term media source to identify RTP senders
    - Implies corrections throughout the entire document
  - Added detailed explicit handling for all RTCP and RTP packets at the distribution source
  - Fixed bucket calculation formulae
  - Changed mean to median for jitter summary report


# **RTCP SSM Big Picture**



# **RTCP SSM Big Picture**




## **RTCP SSM Big Picture**



5

## Open Issue: How much to specify?



#### **Open Issue**

#### Observations

- Contribution setup often trivial
  - Distribution source == media sender
  - Exactly one media sender
  - Administratively set up
  - Well-supported by SDP
- More complex scenarios
  - Multiple senders in multicast group
  - Multiple senders via unicast
  - Mixtures
  - SDP already allows fairly complex session descriptions

#### Proposal

- Contribution side: separate session at the SDP level
  - Topology details "hidden" from the receiver side
  - Do not attempt complete systems description
- Do nothing on the normative side
- Possibly document alternative scenarios in an appendix

#### **Next Steps**

- Final editing pass
- Add appendix if deemed necessary
- WGLC