#### IETF IPPM WG Status and Futures

Thursday, November 13, 2003 13:00 – 15:00

• It looks a lot like Vienna...

## **Completed Work**

- RFC 2330: Framework for IP Performance Metrics
- RFC 2678: Connectivity
- RFC 2679: One-way delay
- RFC 2680: One-way loss
- RFC 2681: Round-trip delay
- RFC 3148: A Framework for Defining Empirical Bulk Transport Capacity

## Completed Work

- RFC 3357: One-way Loss Pattern Sample Metrics
- RFC 3393: IP Packet Delay Variation
- RFC 3432: Network Performance
  Measurement with Periodic Streams
- (in IESG): One-way Active Measurement Protocol Requirements draft-ietf-ippm-owdp-reqs-06.txt

#### **Current Work Status**

- OWAMP: draft-ietf-ippm-owdp-07.txt
- MIB: draft-ietf-ippm-metrics-registry-04.txt
  draft-ietf-ippm-reporting-mib-04.txt
- Reordering: draft-ietf-ippm-reordering-04.txt
- One-way applicability: draft-ietf-ippm-owmetric-as-01.txt
- CAP: draft-ietf-ippm-btc-cap-00.txt [exp]
- Related -- advancing metrics: (a tsvwg item?) drafts-bradner-metrics-advance-00.txt [exp]

## **Implementation Reports**

- A number of RFCs have been at Proposed Standard for a while.
- We should think about obtaining implementation reports to advance them to Draft Standard
- Caveat: requires "metrics advancement" document with ADs (and TSVWG)
- If you have (or know of an implementation) of IPPM metrics, send email to the chairs.
- Chairs will create a draft template after this meeting and post it to the mailing list

# **Drop these Milestones?**

There are a number of milestones where people expressed interest but there has been no progress. If there are no proponents (workers!) we will drop them:

- Parameter sensitivity
- ITU vs IETF performance metrics
- Path bottleneck definitions
- CAP (or other BTC metric)
- Applicability Statement