
A SOAP Transport for RID

draft-moriarty-soap-01

<http://www.cert.org/ietf/inch/docs/draft-moriarty-soap-01.txt>


Kathleen Moriarty <moriarty@ll.mit.edu>

Brian Trammell <bht@cert.org>

Wednesday, November 8, 2005

IETF 64 - Vancouver, BC, Canada

Recap



- Encapsulate RID in SOAP, copying policy into header:

```
- <SOAP-ENV:Envelope>
  <SOAP-ENV:Header>
    <iodef-rid:RID>
      <iodef-rid:RIDPolicy>
        . . . [policy information]
      </iodef-rid:RIDPolicy>
    </iodef-rid:RID>
  </SOAP-ENV:Header>
  <SOAP-ENV:Body>
    <iodef-rid:RID>
      . . . [all RID information]
    </iodef-rid:RID>
    <iodef:IODEF-Document>
      . . . [incident information]
    </iodef:IODEF-Document>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

Changes since -00

- -01 online at unofficial site
 - <http://www.cert.org/ietf/docs/draft-moriarty-soap-01.txt>
- Examples in line with RID -05
 - Ease of following examples across documents
- IANA Considerations
 - Requesting separate ports for BEEP and HTTP
 - IANA comments at Vancouver into -01 official
- General document quality improvement

Next Step(s)

- Submit -01 official
- Recharter to move RID transport into scope for INCH WG.
- Continued incorporation of WG list comments.
- Other comments?