IMAP Quick Reconnect

Alexey Melnikov Dave Cridland Corby Wilson

draft-ietf-lemonade-reconnect-client-03

Changes since the last revision

- Fixed description of the synchronization sequence to properly describe how HIGHESTMODSEQ and FETCH MODSEQ are used
 - Record all received FETCH MODSEQ
 - Update client's copy of HIGHESTMODSEQ upon receipt of the tagged OK/NO response, NOT while receiving it
- Fixed a couple of typos in the ABNF
 - It is all Dave's fault :-)
- Ready for IETF LC

IMAP URL

Chris Newman Alexey Melnikov Stéphane Maes

draft-ietf-lemonade-rfc2192bis-04

Changes since the last revision (1/2)

- Removed "mailbox list" URL type
 - Was not deployed & was not designed properly
- Clarified encoding requirements for relative IMAP URLs (e.g. encoding of ".." and leading "/")
- Removed some advices about connection reuse, which were incorrect
- Added examples demonstrating security considerations when resolving URLs
- Security Consideration specific to URLAUTH authorized URL

Changes since the last revision (2/2)

- Removed text about relative URL resolution in MHTML
- Updated references

Open Issues/ToDo

- Some minor editorial issues in ABNF remain
 - Need WGLC to resolve them

LEMONADE Profile bis

Stéphane Maes Alexey Melnikov Dave Cridland

Profile MUST implement

IMAP

- STARTTLS
- CATENATE
- URLAUTH
- UIDPLUS
- LITERAL+
- CONDSTORE
- NAMESPACE
- IDLE

ESMTP

- AUTH
- STARTTLS
- PIPELINING
- 8BITMIME
- CHUNKING
- BINARYMIME
- DSN
- SIZE
- ENHANCEDSTATUSCODES
- BURL

Phase bis - MUST implement (IMAP)

IMAP

- ✓ All of Profile
- ✓ Quick Reconnect (QRESYNC)
- ✓ Search extensions: ESEARCH, WITHIN
- √ Views
 - ✓ CONTEXT (draftcridland-imap-contexts-00.txt)
 - ? Storing views on the server: draft-melnikov-imapext-filters-00.txt (?)
- ✓ ENABLE, METADATA, LIST-EXTENDED

- ✓ In-band notifications: NOTIFY (draft-gulbrandsenimap-notify-03.txt)
- **✓** Bandwidth optimizations
 - **✓** COMPRESS=DEFLATE
 - ✓ BINARY (including APPEND)
- ✓ Content Transformation
 - **✓** Static (CONVERT)
 - Streaming
- ✓ Allow Partial URLs in CATENATE and URLAUTH

Phase bis - MUST implement

ESMTP

- ✓ All of Profile
- QUICKSTART (draft-fanfsmtp-quickstart-00)

Phase bis - Optional/undecided

Out-band notifications

SIEVE Filters (?)

- Format
- One or more example binding to a notification protocol
- ✓ IMAP Sieve
 - How to manage scripts?