

# Contexts

Contexts for IMAP  
draft-cridland-imap-context-00

Curtis King  
Dave Cridland

At <http://dave.cridland.net/slides.html>  
in OpenOffice.org, PDF, HTML, with notes.

# Contexts

- A SEARCH/SORT “Toolbox” extension, gives:
  - Filtered views (Provided by IMAP SEARCH/SORT)
  - Virtual Scrollbars (PARTIAL)
  - Updated Results (NOTIFY)
- Aimed at ad-hoc view filtering.
  - Predefined filters possible, by saving search criteria.

# Minimal Implementation

- SEARCH CONTEXTs can be implemented easily. SORT are harder.
- Servers:
  - Re-execute SEARCH for every PARTIAL.
  - Ignore CONTEXT.
  - Small amount of special code for NOTIFY.
  - No need to hold results.
- Obvious optimizations.

# For ACAP People

- CONTEXTs crucial feature of ACAP
- CONTEXTs tricky in ACAP, not in IMAP:
  - No non-NOTIFY contexts – no snapshots
  - RANGE search criterion becomes PARTIAL return option; no method for SEARCHing CONTEXTs.
  - But no method for creating a CONTEXT, only a hint.
- But basic functionality lifted from ACAP

# Most importantly

- 'X' character in capability string.
  - Essential for success.

# Open Issues

- Turn CONTEXT from hint to requirement?
  - No way to know when this broken: PARTIAL / NOTIFY essentially imply CONTEXT anyway.
- Do we try for SORT now, or later?
  - SORT support really nice, but raises the bar.
  - Could do CONTEXTS=SORT in this doc or a later one.

# Open Issues 2

- Resynchronization is hard.
  - Working out which messages no longer match is the difficult bit.
  - Easy solution is to punt – recreate context from scratch.

# Questions?

- Questions later?
  - <mailto:dave@cridland.net>
  - <xmpp:dwd@jabber.org>