



kitten-gss-naming-exts-03

(under new management)

Document status

- Under new editorship
- -03 highlights:
 - start on security considerations
 - language cleanups
 - NOTES (reflecting these slides)
 - no API changes yet
 - text about the uncertainty of ordered SET of values

Overview

- Names have attributes
 - `leifj@SU.SE`
 - `givenName`: Leif
 - `sn`: Johansson
 - `displayName`: Leif Johansson
 - `memberOf`: `cn=staff-group,dc=su,dc=se`

Overview (2)

- Attributes are authenticated or 'asserted'
 - leifj@SU.SE
 - givenName: Leif
 - sn: Johansson
 - displayName: Leif Johansson
 - **memeberOf: cn=staff-group,dc=su,dc=se**

Overview (3)

- Attributes may be 'mapped' or 'critical'
 - leifj@SU.SE
 - givenName: Leif
 - sn: Johansson
 - *displayName: Leif Johansson*
 - **memberOf: cn=staff-group,dc=su,dc=se**

Major Issues

- How to manage attributes (OIDs)
- Are the *critical* and *mapped* flags useful ?
- Are negative attribute values understood ?

Suggestions

- Remove mapped
- Remove critical
- Remove negative
- Keep OIDs as names but think carefully about the IANA implications of this.