CardDAV *et al.*

Cyrus Daboo, Apple Inc.

Status (MKCOL Ext)

- draft-ietf-vcarddav-webdav-mkcol-04.txt

- WGLC Completed with minor comments addressed in -04 draft.

- One issue left:

  - Should we allow an OPTIONAL response body when success occurs?

Status (CardDAV)

- draft-ietf-vcarddav-carddav-06.txt

- WGLC complete.

  - Many minor issues addressed

  - Still some editorial issues I need to address

Issue #1

- address-data element overload

  1. A supported media type for address object resources when nested in the CARDDAV:supported-address-data property

  2. The parts of an address object resource should be returned by a given address book REPORT

  3. The content of an address object resource in a response to an address book REPORT

- Proposal: change element name for case (1), leave others the same

Issue #2

- address-data element as pseudo property:

  - Julian objects to using address-data in propstat as it means existing WebDAV implementations have to change

  - CalDAV uses calendar-data in propstat

- Personal preference: leave it as it is.

Issue #3

- Depth header on REPORTs

  - Current says MUST NOT be present

  - Julian prefers that it MUST be present and we specify exactly what each value means

- Proposal:

  - The Depth header MUST be present and set to the value 0.

  - Each REPORT then explains that the scope of Depth:0 on the collection applies to all child resources.

Issue #4

- Legacy MIME types
  - Currently spec only talks about text/vcard
  - Should we also mention/allow text/directory et al?
  - e.g. server can accept other equivalent types but MUST return text/vcard?

Issue #5

- displayname
  - Currently spec says client SHOULD NOT set it to the same value as one on a resource at the same level

  - Julian believes this to be to strong a requirement

  - Also some minor wording inconsistency wrt to addressbook-description needs to be addressed

Other

- draft-daboo-webdav-sync-01 re-published
  - Defines collection synchronization REPORT for WebDAV.
  - Helps reduce network bandwidth when clients need to sync changes
  - Useful for CardDAV and CalDAV
  - In particular mobile