DNSSEC Operational Practices, Version 2

draft-ietf-dnsop-rfc464 lbis-03

From: Olaf Kolkman <olaf@NLnetLabs.nl>

Subject: [DNSOP] 4641bis (draft 3) status update

Date: July 20, 2010 6:20:02 PM GMT+02:00

To: dnsop WG <dnsop@ietf.org>

Point I

 Is the set of arguments presented for major operational choices (e.g. single versus kskzsk split, and key effectivity period) complete and are the arguments fairly represented?

- Should this document try to give strong recommendations or should a separate document (set) be made that gives recommendations for certain operational environments (e.g. BCP for root, BCP for TLD, BCP for enterprise)?
- straw man for consensus:
 This document should not give strong recommendations but provide comprehensive arguments (like it does now); development of recommendations is left for later, either in a follow up (RFC4641bis-bis) or as a set of separate documents)

 Document Audience: 'the authoritative side of the DNS equation'.

- http://www.nlnetlabs.nl/svn/rfc4641bis/trunk/open-issues/ trust_anchor_configuration
- [is] the document in any way restrictive on not using 5011, or is its consideration for advising RFC5011 to strong?

- 4.4.2 about a Maximum signature validity and Minimum validity period in fairly broad terms. It also provides motivations for differentiating Signature Validity periods for different RRsets in a zone, those motivations are few and week.
- Is the text about signature validity
 complete in argumentation and motivation

Drop Appendix B? Improve it?

- Closing Open Issues
 - (possibly reopening them)